SAFETY DATA SHEET ACCORDING TO DIR 2001/58/EEC

PRODUCT FAMILY:

Perforated Sheet

REVISION DATE:

22.07.2005

IDENTIFICATION OF THE PRODUCT AND COMPANY

IDENTIFICATION OF THE PRODUCT (new / (old) code, description)

0250-0000 (GSP13)

BS 1449 BA S/S 304 0.25mm (0.010") THICK

PERFORATED PLATE (6"x3")

0250-0010 (GSP14)

BS 1449 BA S/S 304 0.30mm (0.012") THICK

PERFORATED PLATE (6"x3")

1.2 UTILISATION OF THE PRODUCT

Manufacture of devices, including removable custom made dental devices

1.3 IDENTIFICATION OF THE COMPANY

MANUFACTURER:

ATTENBOROUGH BRUSH LTD,

VISCOSA HOUSE. GEORGE STREET,

NOTTINGHAM, NG1 3BN.

UK.

EMERGENCY TELEPHONE NUMBER:

+ 44 (0) 115 947 3562



Denplan

COMPOSITION

Stainless steel to BS EN ISO 7153-1:2000

HAZARDS IDENTIFICATION





- PRODUCT NOT CLASSIFIED DANGEROUS.
- NO SPECIFIC HAZARDS ARE ENCOUNTERED UNDER NORMAL PRODUCT USE.

FIRST AID MEASURES



CONTACT WITH SKIN 4.1

The specific indications will not cause irritation unless the patient has sensitivity

to the composition

CONTACT WITH EYES 4.2

The specific indications will not cause

irritation unless the patient has sensitivity

to the composition.

SWALLOWING 4.3

Always seek medical assistance if the

product is swallowed.

4.4 INHALATION

Always seek medical assistance if the

product is inhaled.



INVESTORS IN

CA 000493

FIRE FIGHTING MEASURES



RECOMMENDED EXTINGUISHERS 5.1

5.2 EXTINGUISHERS NOT TO BE USED

5.3

RISKS ARISING FROM

COMBUSTION

C. & L.E. ATTENBOROUGH LTD

Dentalcare Group

PROTECTIVE EQUIPMENT 5.4

Dry powder extinguishing media

None in particular

Avoid inhaling the fumes

Use protection for the respiratory tract - fire areas should not be entered without breathing apparatus.

REF: SD10 VERSION 2 22/07/2005



ATTENBOROUGH DENTAL LABORATORIES LTD.

 ATTENBOROUGH BRUSH LTD ATTENBOROUGH DIRECT LTD





6 ACCIDENTAL RELEASE MEASURES

- MEASURES FOR PERSONAL SAFETY None in particular 6.1
- 6.2 **ENVIRONMENTAL MEASURES**
- 6.3 CLEANING METHODS

None in particular None in particular

HANDLING AND STORAGE

HANDLING PRECAUTIONS 7.1

None in particular. Under unusual and particularly favourable conditions, such as considerable accumulation, very fine particulate size and strong ignition sources,

7.2 INCOMPATIBLE MATERIALS

STORAGE CONDITIONS

RESPIRATORY MEASURES

fire or explosion may occur. As a generality do not store metals near acids (particularly nitric acid) or alkalis.

Contact with these substances may produce noxious fumes or inflammable gases Keep in a closed container between 0°C

and 50°C



7.3

8.2

EXPOSURE CONTROLS / PERSONAL PROTECTION


PRECAUTIONARY MEASURES 8.1

Under normal conditions of use the materials represent no health hazards with the exception of mechanical damage Metal machining, grinding, melting,

brazing, welding and heating may produce

fine metal particulate, dust or fume. These operations should be carried out under well-ventilated conditions. If inhaled, metal fumes and dust may cause respiratory tract irritation and metal fume fever. The symptoms of these conditions may resemble those of mild influenza. If exposure may have occurred qualified medical opinion

should be immediately sought.



appropriate















PROTECTION FOR THE HANDS 8.3

8.4 EYE PROTECTION

8.5 PROTECTION FOR THE SKIN Always wear goggles when grinding All materials carry very thin films of oil lubricants and it is recommended suitable barrier creams should be used as appropriate prior to handling the product and that afterwards hands should be washed with soap and water before eating,

drinking or smoking.

REF: SD10 VERSION 2 22/07/2005

C. & L.E. ATTENBOROUGH LTD

Dentalcare Group

ATTENBOROUGH DENTAL LABORATORIES LTD.

ATTENBOROUGH DIRECT LTD

ATTENBOROUGH BRUSH LTD



PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND COLOUR 9.1

Chromium Nickel

Manganese 0

0 Silicon

Carbon, sulphur, phosphorous

Silver metal.

16.5 - 26.0%

8.0 - 22%

2.0% (maximum)

1.5% (maximum)

Some alloys contain up to 1.0% titanium and / or up to 3.0% molybdenum

9.2 **ODOUR**

Odourless

10 STABILITY AND REACTIVITY

10.1 CONDITIONS TO AVOID



C&B&

SUBSTANCES TO AVOID 10.2

10.3 HAZARDOUS DECOMPOSITION **PRODUCTS**

Stable under normal conditions. An explosion may occur if molten metal is in contact with water. Boiling point, vapour pressure, pH, density, evaporation rate or solubility in water are not applicable As a generality do not store metals near acids (particularly nitric acid) or alkalis. Contact with these substances may produce noxious fumes or inflammable gases

11 TOXICOLOGICAL INFORMATION

SWALLOWING



May become lodged in the digestive tract and cause irritation. Note that risk of swallowing should at all times be avoided. If accidentally swallowed OES limits to constituents are as below.

May become lodged in the respiratory tracts and cause irritation. Note that risk of inhalation should at all times be avoided. If

accidentally inhaled OES limits to constituents are as below.



INHALATION 11.2













REF: SD10 VERSION 2 22/07/2005

C. & L.E. ATTENBOROUGH LTD

Dentalcare Group

ATTENBOROUGH DENTAL LABORATORIES LTD

 ATTENBOROUGH BRUSH LTD ATTENBOROUGH DIRECT LTD



Nickel:

Metallic nickel and its salts are potent skin sensitisers. Occupational asthma due to respiratory sensitisation to nickel and nickel salts has been recorded in the electroplating, metal polishing, catalyst reprocessing and stainless steel welding industries. OES long-term limit to nickel is 0.5mg/m^3 .

Chromium

Essentially non-toxic in elemental form. As trioxide it may be oxidising and corrosive and may cause skin sensitisation. OES long-term limit for chromium is 0.5 mg/m³

Essentially non-toxic in elemental form although as a dioxide can be harmful by ingestion or inhalation. OES limits are:

	Long Term (mg/m²)	Short Term (mg/m²)
Manganese fume (as Mn)	1.0	3.0
Manganese and its Compounds (as Mn)	5.0	n/a
Trimanganese tetroxide	1.0	n/a

Silicone

Essentially non-toxic in elemental form. OES long-term limit is 10.0mg/m³ as total inhalable dust and 5.0mg/m³ as respirable dust.

Titanium

Essentially non-toxic in elemental form. OES long-term limit for titanium dioxide is 10.0mg/m³ as total inhalable dust and 5.0mg/m³ as respirable dust.

Molybdenum

Essentially non-toxic in elemental form. OES limit for soluble molybdenum compounds as Mo is 5.0mg/m³ as (long term) and 10.0mg/m³(short term)

12 ECOLOGICAL INFORMATION

Use according to good working practice



13 DISPOSAL CONSIDERATIONS

Comply with the local and national regulations currently in force. Waste not dangerous.



14 TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations

15 REGULATORY INFORMATION

- The product is manufactured from stainless steel to BS EN ISO 7153-1:2000
- The product should not be considered dangerous according to DIR 88/379/EEC.
- The product is not classified as a Medical Device according to DIR 93/42/EEC.
- The product must be tested and approved under the processes of the individual or organisation if it is used in the manufacture a removable custom made dental device.

16 OTHER INFORMATION

Every effort has been made to ensure that the information is correct and gives adequate safety within current knowledge. Whilst responsibility for errors and omissions are not accepted, the Company will endeavour to supply information of any of its products on request.



INVESTORS IN



REF: SD10 VERSION 2 22/07/2005

C. & L.E. ATTENBOROUGH LTD

Dentalcare Group

 ATTENBOROUGH DENTAL LABORATORIES LTD ATTENBOROUGH BRUSH LTD

ATTENBOROUGH DIRECT LTD













